


LEDINNOVATIE B.V.B.A



AC 100V-240V
Ra > 75



High Power COB LED light, with surface mounted, high CRI and high lumen output.

the housing is made of aluminum molded by die casting, the superior heat-sink be adpoted.

the surface treated by powder coating, different colors are available

special design for anti-glare, the installation is quite convinence.

Application:

Government institute, hotel, office, school, hospital, underground garage, gallery, Supermarket, Restaurant etc.

sales@ledinnovatie.be


www.ledinnovatie.be

info@ledinnovatie.be

Ledinnovatie BVBA Nieuwkerkenstraat 180 9100 Nieuwkerken-Waas Belgium



LEDINNOVATIE B.V.B.A

20Watt



H(m)	E(lx)	D(m)
Beam Angle: 95°		
1 m	210.6 lx	1.73 m
2 m	48.8 lx	3.46 m
3 m	20.5 lx	5.19 m
4 m	12.0 lx	6.92 m
5 m	7.1 lx	8.65 m

25Watt



H(m)	E(lx)	D(m)
Beam Angle: 95°		
1 m	223.6 lx	1.73 m
2 m	55.9 lx	3.46 m
3 m	24.8 lx	5.19 m
4 m	14.0 lx	6.92 m
5 m	8.9 lx	8.65 m

Power	Current	Color	Lumen	Beam angle
20W	1000mA	3000K	1000 lm	95°
		6000K	1200 lm	
25W	1250mA	3000K	1450 lm	95°
		6000K	1600 lm	



sales@ledinnovatie.be

www.ledinnovatie.be

info@ledinnovatie.be

Ledinnovatie BVBA Nieuwkerkenstraat 180 9100 Nieuwkerken-Waas Belgium

LEDINNOVATIE B.V.B.A



sales@ledinnovatie.be

www.ledinnovatie.be

info@ledinnovatie.be

Ledinnovatie BVBA Nieuwkerkenstraat 180 9100 Nieuwkerken-Waas Belgium