


LEDINNOVATIE B.V.B.A



AC 100V-240V
Ra >75



High Power COB LED light, with surface mounted, high CRI and high lumen output.

the housing is made of aluminum molded by die casting, the superior heat-sink be adopted.

the surface treated by powder coating, different colors are available

special design for anti-glare, the installation is quite convinence.

Application:

Government institute, hotel, office, school, hospital, underground garage, gallery, Supermarket, Restaurant etc.

sales@ledinnovatie.be



www.ledinnovatie.be

info@ledinnovatie.be

Ledinnovatie BVBA Nieuwkerkenstraat 180 9100 Nieuwkerken-Waas Belgium



LEDINNOVATIE B.V.B.A

10Watt



H(m)	E(lx)	D(m)
Beam Angle: 70°		
1 m	98.5 lx	1.44 m
2 m	20.4 lx	2.87 m
3 m	9.5 lx	4.31 m
4 m	5.2 lx	5.75 m
5 m	3.5 lx	7.19 m

15Watt



H(m)	E(lx)	D(m)
Beam Angle: 70°		
1 m	109.5 lx	1.44 m
2 m	27.4 lx	2.87 m
3 m	12.2 lx	4.31 m
4 m	6.8 lx	5.75 m
5 m	4.4 lx	7.19 m

Power	Current	Color	Lumen	Beam angle
10W	500mA	3000K	600 lm	70°
		6000K	700 lm	
15W	650mA	3000K	650 lm	70°
		6000K	850 lm	



sales@ledinnovatie.be

www.ledinnovatie.be

info@ledinnovatie.be

Ledinnovatie BVBA Nieuwkerkenstraat 180 9100 Nieuwkerken-Waas Belgium

LEDINNOVATIE B.V.B.A



sales@ledinnovatie.be

www.ledinnovatie.be

info@ledinnovatie.be

Ledinnovatie BVBA Nieuwkerkenstraat 180 9100 Nieuwkerken-Waas Belgium